Sodium Iodide I-123 Capsules Rx Only.


Diagnostic-For Oral Administration

DESCRIPTION

Sodium lodide I-123 (Na $^{123}\text{l})$ for diagnostic use is supplied in capsules for oral administration. The capsules are available in strengths of 3.7 and 7.4 megabecquerels (MBq) (100 and 200 $\mu\text{Ci})$ I-123 at time of calibration.


The radionuclidic composition at calibration is not less than 97.0 percent I-123, not more than 2.9 percent I-125 and not more than 0.1 percent Te-121. The radionuclidic composition at expiration time is not less than 87.2 percent I-123, not more than 12.4 percent I-125 and not more than 0.4 percent Te-121. The ratio of the concentration of I-123 and I-125 changes with time. Graph 1 shows the minimum concentration of I-123 as a function of time and Graph 2 shows the maximum concentration of I-125 as a function of time.

Graph 1. Radionuclidic Concentration of I-123
% PERCENT OF TOTAL RADIOACTIVITY:



Graph 2. Radionuclidic Concentration of I-125

Merican Percent of TOTAL RADIOACTIVITY:
IODINE-125



PHYSICAL CHARACTERISTICS

lodine-123 decays by electron capture with a physical half-life of 13.2 hours¹. The photon that is useful for detection and imaging studies is listed in Table 1.

Table 1. Principal Radiation Emission Data

Radiation	Mean % Disintegration	Energy (keV)
Gamma-2	83.4	159

EXTERNAL RADIATION

The specific gamma ray constant for I-123 is 1.6 R/hr-mCi at 1 cm. The first half-value thickness of lead (Pb) for I-123 is 0.005 cm. A range of values for the relative attenuation of the radiation emitted by this radionuclide that results from the interposition of various thicknesses of Pb is shown in Table 2. For example, the use of 1.63 cm of lead will decrease the external radiation exposure by a factor of about 1,000.

Table 2. Radiation Attenuation by Lead Shielding

	Coefficient of Attenuation	Shield Thickness (Pb), cm
	0.5	0.005
	10 ⁻¹	0.10
	10 ⁻²	0.88
	10 ⁻³	1.63
	10⁴	2.48
1	0.5 10 ⁻¹ 10 ⁻² 10 ⁻³	0.005 0.10 0.88 1.63

Note that these estimates of attenuation do not take into consideration the presence of radionuclidic contaminants.

To correct for physical decay of I-123, the fractions that remain at selected intervals after the time of calibration are shown in Table 3.

¹ Kocher, David C., Radioactive Decay Data Tables. DOE/TIC-11026, 122 (1981).

Table 3. lodine I-123 Decay Chart: Half-Life 13.2 Hours

	Fraction		Fraction			
Hours	Remaining	Hours	Remaining			
0*	1.000	18	0.389			
3	0.854	21	0.332			
6	0.730	24	0.284			
9	0.623	27	0.242			
12	0.533	30	0.207			
15	0.455					
	0* 3 6 9	Hours Remaining 0* 1.000 3 0.854 6 0.730 9 0.623 12 0.533	Hours Remaining Hours 0* 1.000 18 3 0.854 21 6 0.730 24 9 0.623 27 12 0.533 30			

*Time of Calibration

CLINICAL PHARMACOLOGY

Sodium lodide I-123 is readily absorbed from the upper gastrointestinal tract. Following absorption, the iodide is distributed primarily within the extracellular fluid of the body. It is trapped and organically bound by the thyroid and concentrated by the stomach, choroid plexus and salivary glands. It is excreted by the kidneys.

The fraction of the administered dose which is accumulated in the thyroid gland may be a measure of thyroid function in the absence of unusually high or low iodine intake or administration of certain drugs which influence iodine accumulation by the thyroid gland. Accordingly, the patient should be questioned carefully regarding previous medications and/or procedures involving radiographic media. Normal subjects can accumulate approximately 10 to 50% of the administered iodine dose in the thyroid gland, however, the normal and abnormal ranges are established by individual physician's criteria. The mapping (imaging) of Sodium lodide I-123 distribution in the thyroid gland may provide useful information concerning thyroid anatomy and definition of normal and/or abnormal functioning of tissue within the

INDICATIONS AND USE

Administration of Sodium lodide I-123 is indicated as a diagnostic procedure to be used in evaluating thyroid function and/or morphology.

CONTRAINDICATIONS

To date there are no known contraindications to the use of Sodium Iodide I-123 capsules.

WARNINGS

Females of childbearing age and pediatric patients should not be studied unless the benefits anticipated from the performance of the test outweigh the possible risk of exposure to the amount of ionizing radiation associated with the test.

PRECAUTIONS

General

The contents of the capsule are radioactive. Adequate shielding of the preparation must be maintained at all times

Do not use after the expiration time and date stated on the label.

The prescribed Sodium lodide I-123 dose should be administered as soon as practical from the time of receipt of product (i.e., as close to calibration time as possible), in order to minimize the fraction of radiation exposure due to the relative increase of radionuclidic contaminants with time.

Sodium lodide I-123, as well as other radioactive drugs, must be handled with care and appropriate safety measures should be used to minimize radiation exposure to clinical personnel. Care should also be taken to minimize radiation exposure to the patient consistent with proper patient management.

Radiopharmaceuticals should be used only by physicians who are qualified by training and experience in the safe use and handling of radionuclides, and whose experience and training have been approved by the appropriate government agency authorized to license the use of radionuclides.

Carcinogenesis, Mutagenesis, Impairment of Fertility

No long-term animal studies have been performed to evaluate carcinogenic potential, mutagenic potential, or whether Sodium lodide I-123 affects fertility in males or females.

of menses. Nursing Mothers

Pregnancy Category C

Since I-123 is excreted in human milk, formulafeeding should be substituted for breast-feeding if the agent must be administered to the mother during lactation.

Animal reproduction studies have not been con-

ducted with this drug. It is also not known whether Sodium lodide I-123 can cause fetal harm when

administered to a pregnant woman or can affect

reproductive capacity. Sodium lodide I-123 should

be given to a pregnant woman only if clearly needed.

Ideally, examinations using radiopharmaceuticals,

especially those elective in nature, in women of childbearing capability should be performed during the

first few (approximately ten) days following the onset

Pediatric Use

Safety and effectiveness in pediatric patients have not been established.

ADVERSE REACTIONS

Although rare, reactions associated with the administration of Sodium lodide isotopes for diagnostic use include, in decreasing order of frequency, nausea, vomiting, chest pain, tachycardia, itching skin, rash and hives.

DOSAGE AND ADMINISTRATION

The recommended oral dose for the average patient (70 kg) is 3.7 to 14.8 MBq (100-400 $\mu \text{Ci})$). The lower part of the dosage range 3.7 MBq (100 $\mu \text{Ci})$ is recommended for uptake studies alone, and the higher part 14.8 MBq (400 $\mu \text{Ci})$ for thyroid imaging. The determination of I-123 concentration in the thyroid gland may be initiated at six hours after administering the dose and should be measured in accordance with standardized procedures.

The patient dose should be measured by a suitable radioactivity calibration system immediately prior to administration. The capsules can be utilized up to 30 hours after calibration time and date. Thereafter, discard the capsules in accordance with standard safety procedures. The user should wear waterproof gloves at all times when handling the capsules or container.

RADIATION DOSIMETRY

The estimated absorbed radiation doses to several organs of an average patient (70 kg) from oral administration of the maximum dose of 14.8 MBq (400 μ Ci) of 1-123 are shown in Table 4 for thyroid uptakes of 5, 15, and 25%. For comparison at these three values of thyroid uptake, the estimated radiation doses from doses of 3.7 MBq (100 μ Ci) 1-131, also used as thyroid imaging agent, are also included.

Table 4. Absorbed Radiation Dose Estimates as a Function of Maximum Thyroid Uptake for Sodium Iodide I-123 'At Time of Calibration and Expiry Compared to Sodium Iodide I-131

Calibration and Expiry Compared to Sodium Iodide I-131						
Estimated Radiation Absorbed Doses						
			-123	I-131		
			14.8 MBq	mGy/3.7 MBq		
		•	/400 μCi)	(rads/100 μCi)		
l <u>-</u> .	Maximum					
Target	Thyroid) TOO	TOF			
Organ	Uptake (%	<u> </u>	TOE			
Bladder ²	5	1.7 (0.17)	1.7 (0.17)	2.9 (0.29)		
	15 25	1.6 (0.16) 1.4 (0.14)	1.6 (0.16) 1.5 (0.15)	2.7 (0.27) 2.4 (0.24)		
		. ,				
Stomach Wall	5 15	0.96 (0.096)	0.98 (0.098)	1.7 (0.17)		
	25	0.89 (0.089) 0.82 (0.082)	0.91 (0.091) 0.85 (0.085)	1.5 (0.15) 1.4 (0.14)		
Small Intestine		, ,	, ,	` ′		
Small intestine	9 3 15	0.70 (0.070) 0.65 (0.065)	0.71 (0.071) 0.67 (0.067)	1.2 (0.12) 1.1 (0.11)		
	25	0.60 (0.060)	0.62 (0.062)	0.99 (0.099)		
Liver		0.089 (0.0089)	0.13 (0.013)	0.16 (0.016)		
Livei	15	0.10 (0.010)	0.18 (0.018)	0.18 (0.018)		
	25	0.11 (0.011)	0.24 (0.024)	0.41 (0.041)		
Ovaries	5	0.18 (0.018)	0.19 (0.019)	0.18 (0.018)		
Ovanos	15	0.17 (0.017)	0.18 (0.018)	0.18 (0.018)		
	25	0.16 (0.016)	0.18 (0.018)	0.17 (0.017)		
Skeleton	5	0.11 (0.011)	0.16 (0.016)	0.12 (0.012)		
- Choloton	15	0.12 (0.012)	0.18 (0.018)	0.18 (0.018)		
ŀ	25	0.14 (0.014)	0.21 (0.021)	0.24 (0.024)		
Red Marrow	5	0.12 (0.012)	0.16 (0.016)	0.15 (0.015)		
	15	0.12 (0.012)	0.18 (0.018)	0.21 (0.021)		
	25	0.13 (0.013)	0.19 (0.019)	0.27 (0.027)		
Testes	5	0.076 (0.0076)	0.089 (0.0089)	0.12 (0.012)		
	15	0.072 (0.0072)	0.087 (0.0087)	0.12 (0.012)		
	25	0.068 (0.0068)	0.085 (0.0085)	0.12 (0.012)		
Thyroid	5	25 (2.5)	75 (7.5)	260 (26)		
	15	77 (7.7)	230 (23)	780 (78)		
	25	130 (13)	410 (41)	1300 (130)		
Total Body	5	0.11 (0.011)	0.16 (0.016)	0.24 (0.024)		
	15	0.14 (0.014)	0.25 (0.025)	0.47 (0.047)		
l	25	0.17 (0.017)	0.35 (0.035)	0.70 (0.070)		
1.0						
Concentration at Time of Calibration: 97% I-123, 2.9% I-125, 0.1% Te-121 Concentration at Time of Expiry: 87.2% I-123, 12.4% I-125, 0.4% Te-121						
Concentration at time of Expiry: 87.2% I-123, 12.4% I-125, 0.4% Ie-121						

Oncentration at Time of Calibration: 97% I-123, 2.9% I-125, 0.1% Te-121 Concentration at Time of Expiry: 87.2% I-123, 12.4% I-125, 0.4% Te-121 Metabolic model in MIRD Dose Estimate Report 5 followed for I-123 and I-125 Metabolic model in ICRP 30 followed for Te-121

HOW SUPPLIED

Catalog Number 601,602.

Sodium Iodide I-123 is supplied as capsules for oral administration in strengths of 3.7MBq (100 $\mu\text{Ci})\text{(red}$ and white) (NDC 0019-N601-10) and 7.4 MBq (200 $\mu\text{Ci})$ (green and white) (NDC 0019-N602-20) at time of calibration. Each gelatin capsule contains sucrose as a filler. The capsules are packaged in plastic vials containing either one, three or five capsules of a single strength per vial. The plastic vial is packaged in a lead shield. A package insert is supplied with each lead shield.

STORAGE AND HANDLING

The contents of the vial are radioactive and adequate shielding and handling precautions must be maintained

Dispense and preserve capsules in tightly-closed containers that are adequately shielded. Store at controlled room temperature 20°-25°C (68°-77°F).

Storage and disposal of Sodium lodide I-123 Capsules should be controlled in a manner that is in compliance with the appropriate regulations of the government agency authorized to license the use of this radionuclide.

Revised 9/2000 Mallinckrodt Inc. St. Louis, MO 63134



A601I0

SODIUM IODIDE I-123 CAPSULES

601, 602

² Bladder voiding interval 4.8 hours.